



Fender®

MADE IN U.S.A.

**DELUXE REVERB
AMPLIFIER
WITH
VOLUME BOOST**

**OWNER'S
MANUAL**

MANUAL NO. 010358 (REV. C)


Fender®

**DELUXE
REVERB
AMPLIFIER**

Your selection of a Fender amplifier will be rewarded with years of quality music in a wide range of controlled sounds. This manual is designed to familiarize you with the equipment and acquaint you with its many fine features. Read it carefully so that you will benefit from all of the features as soon as you start using the amplifier.

Copyright © 1978 CBS Musical Instruments
a Division of CBS Inc.

20 WATTS RMS AND 44 WATTS PEAK MUSIC POWER



FRONT PANEL FUNCTIONS

NORMAL CHANNEL

INPUT JACKS

Jack No. 1 for use when one instrument is used. Jack No. 2 for use with second instrument or equipment with high output level.

VOLUME CONTROL

Volume setting from zero to full power output.

TONE CONTROLS

Provides additional high frequencies as required.

Bass Control - Regulates desired amount of bass response.

VIBRATO CHANNEL

INPUT JACKS

Jack No. 1 for use when one instrument is used. Jack No. 2 for use with second instrument or equipment with high output level.

VOLUME CONTROL WITH VOLUME BOOST SWITCH

In addition to controlling the volume, pulling the knob will give extra volume boost.

TONE CONTROLS

Treble Control - Provides additional high frequencies as required.

Bass Control - Regulates desired amount of bass response.

REVERB CONTROL

Selects the amount of reverberation.

SPEED, VIBRATO CONTROL

Regulates the rapidity of the vibrato effect - variable from slow to extremely fast setting.


INTENSITY, VIBRATO CONTROL

Increases or decreases the vibrato effect.

JEWELLED PILOT LIGHT

Indicates when amplifier is turned on.

REAR PANEL



REAR PANEL FUNCTIONS

A.C. ACCESSORY OUTLET

(110-120 V AC, 60 Hz) (Load Limit 200 Watts) This socket is provided as a convenience to be used for any A.C. accessory.

GROUND SWITCH

Gives player control of polarity. Position on each side is ground to each side of the A.C. line respectively. The center position disconnects all but the third line chassis ground. Try each position to find the minimum hum.

FUSE

Caution - Disconnect amplifier A.C. plug from outlet before changing fuse. Remove fuse by pressing in and unscrewing cap. Use fuse type specified on chassis back plate.

ON/OFF SWITCH

Turns amplifier on and off.

STANDBY SWITCH

Allows tube filaments to remain heated during standby periods. Amplification is instantly available without warm-up time. No danger of unwanted sound when in quiet periods.

SPEAKER JACK

Connects internal speakers to amplifier.

EXTENSION SPEAKER JACK

Provides a connection to an extension speaker enclosure.

VIBRATO AND REVERB JACKS (4)

Plug-in connections to pedal and to reverb unit.

CORRECTIVE CHECK LIST

If your amp is set up but does not function, check the following items:

- Is the amp power supply cable plugged into the wall?
- Is there power at the wall outlet where the amp is plugged in?
- Is the speaker plugged into the amplifier speaker jack?
- Are the tone control knobs turned up above 4?
- Is the volume control on your instrument turned up?
- Is the fuse good?

If, after checking all of the above, the system is still not performing correctly, consult your authorized Fender Service Dealer.

CARE OF VINYL COVERS

When the vinyl cover and handles require cleaning, use a mild soap and warm water solution, rinse with a damp cloth, and buff dry with a terry cloth. This will restore the original luster of the vinyl cover.

REPLACEMENT PARTS

If the amplifier should require new parts, they will be replaced under the term of the warranty stated in the back of this manual. Your authorized Fender Dealer will have parts in stock, or he can obtain them quickly for you.

If a tube should need replacement and no Fender Dealer is available, an electronic store can generally supply the tube required, but not under the warranty. The schematic furnished with this manual will be helpful at that time.

Fender Musical Instruments furnishes warranty service only through authorized Fender Dealers.