


*Fender*<sup>®</sup>

**HAMMERTONE**<sup>™</sup>

---

**METAL**



9V BATTERY SCREW ACCESS ON REAR

Fender®

---

## HAMMERTONE METAL

---

Thanks for purchasing the Hammertone Metal—a no-nonsense stompbox effect that delivers classically crushing distortion.

Deliver a sound thrashing by dialing in distortion character with high- and low-frequency controls, level and gain controls, and even internal trim potentiometers to tailor the heaviness even more. Great metal tone is sought after and prized by shredders everywhere, and the Hammertone Metal puts all the power at your feet in every shade from modest to molten.

## **OUTPUT JACK**

Low-impedance output connects to amp or next pedal in signal chain.

## **INPUT JACK**

High-impedance input for electric guitar, bass, acoustic guitars with pickup systems, keyboards and other instruments.

## **DC POWER CONNECTOR**

Connect DC adapter here. Standard center-negative 9VDC jack for use with appropriate power supplies.

## **HIGH CONTROL KNOB**

Adjusts treble frequency level.

## **LOW CONTROL KNOB**

Adjusts bass frequency level.

## **LEVEL CONTROL KNOB**

Adjusts distortion volume.

## **GAIN CONTROL KNOB**

Adjusts gain level.

## **LED**

Illuminates when effect is on.

## **FOOTSWITCH**

Turns effect on and off.

## **BATTERY COMPARTMENT (REAR)**


Screw-access compartment houses one 9V battery.

## INTERNAL TRIM POTENTIOMETERS (ACCESSIBLE BY REMOVING COVER)

MIDRANGE trim pot is an EQ cut/boost control and is flat when set in the center.

FILTER trim pot is a low-pass filter that helps remove excess high-frequency energy or "fizz" (around 4kHz and higher) from brighter-sounding amplifiers.

Remove cover using a flat-head screwdriver. Adjust trim pots using a Phillips-head screwdriver.





A PRODUCT OF  
**FENDER MUSICAL INSTRUMENTS CORPORATION**  
CORONA, CALIFORNIA, U.S.A.

Fender® is a registered trademark of FMIC.

Copyright © 2021 FMIC. All rights reserved.

PN 7724433000 REV B

---

### IMPORTANT SAFETY INSTRUCTIONS

---

- **WARNING:** To prevent damage, fire or shock hazard, do not expose the unit or its AC power to rain or moisture.
- Do not alter the AC plug of the connected power adapter
- Do not drip or splash liquids on the unit.
- No user serviceable parts inside, refer servicing to qualified personnel only.
- **WARNING:** The unit must only be connected to a safety agency certified, regulated, power source (adapter), approved for use and compliant with applicable local and national regulatory safety requirements.
- Unplug the AC power adapter before cleaning the unit exterior. Use only a damp cloth for cleaning and then wait until the unit is completely dry before reconnecting it to power.
- Amplifiers and loudspeaker systems, and ear/headphones (if equipped) are capable of producing very high sound pressure levels which may cause temporary or permanent hearing damage. Use care when setting and adjusting volume levels during use.

---

### ADDITIONAL LANGUAGES

---

Manual available in additional languages at  
[www.fender.com/support](http://www.fender.com/support)

### SPECIFICATIONS

#### IMPEDANCES POWER SUPPLY

Input: 500kΩ      Output: 470Ω  
80mA min @ 9VDC regulated adapter +——  
5.5 x 2.1 mm barrel connector (not included)  
or 9V alkaline battery (not included)

#### POWER REQUIREMENTS DIMENSIONS

9VDC  
2.44" x 4.4" x 2.2" (62mm x 111.8mm x 55.9mm)

#### WEIGHT

0.55 lbs (0.25kg)



Product specifications subject to change without notice



# Fender®

© FENDER MUSICAL INSTRUMENTS 2021

## 产品中有害物质的名称及含量

部件名称	有害物质					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
箱体	O	O	O	O	O	O
喇叭单元*	O	O	O	O	O	O
电子部分	X	O	X	O	O	O
接线端子	X	O	O	O	O	O
电线	X	O	O	O	O	O
附件	O	O	O	O	O	O

本表格依据 SJ/T 11364 的规定编制。

O: 表示该有毒有害物质在该部件所有均质材料中的含量均在 GB/T 26572 规定的限量要求以下。

X: 表示该有毒有害物质至少在该部件的某一均质材料中的含量超出 GB/T 26572 规定的限量要求。

注: 含有有害物质的部件由于全球技术发展水平限制而无法实现有害物质的替代。

\*产品含有喇叭单元时有效。